





» Taladrado / Perçage / Drilling / Bohren /

Pág.

Brocas Metal Duro /
Forets Carbure /
Hard Metal Drill-bits /
Hartmetall-Bohrer /

1195	HM-MD	HEPYC STD	AlCrN		15XD	<table border="1"><tr><td>P</td><td>M</td></tr><tr><td>K</td><td></td></tr></table>	P	M	K		32
P	M										
K											
1196	HM-MD	HEPYC STD	AlCrN		20XD	<table border="1"><tr><td>P</td><td>M</td></tr><tr><td>K</td><td></td></tr></table>	P	M	K		33
P	M										
K											
1197	HM-MD	HEPYC STD	AlCrN		25XD	<table border="1"><tr><td>P</td><td>M</td></tr><tr><td>K</td><td></td></tr></table>	P	M	K		34
P	M										
K											
1198	HM-MD	HEPYC STD	AlCrN		30XD	<table border="1"><tr><td>P</td><td>M</td></tr><tr><td>K</td><td></td></tr></table>	P	M	K		35
P	M										
K											
1199	HM-MD	HEPYC STD	AlCrN		3XD	<table border="1"><tr><td>P</td><td>M</td></tr><tr><td>K</td><td></td></tr></table>	P	M	K		36
P	M										
K											

Brocas con mango cilíndrico largas /
Forets à queue cylindrique longues /
Long straight shank drill-bits /
Langer Zylinderschaft-Bohrer /



1131	HSS WIDIA	DIN 340				<table border="1"><tr><td>P</td><td>K</td></tr><tr><td>N</td><td></td></tr></table>	P	K	N		65
P	K										
N											

› Roscado / Taraudage / Threading / Gewindeschneiden /



Pág.

Machos de máquina /
Tarauds machine /
Machine taps (M-MF) /
Maschinengewindebohrer /

Entrada Corregida (Agujeros pasantes) / Entrée corrigée (Trous débouchants) / Spiral point (through holes) / Schälanschnitt (Durchgangslöcher)

2195	HSSE-PM	DIN 371	HL		M DIN 13 Form. B "Gun" Tol. 6HX 3XD R MF	P M K N S	178
2196	HSSE-PM	DIN 376	HL		M DIN 13 Form. B "Gun" Tol. 6HX 3XD D MF	P M K N S	178

Forma Helicoidal (Agujeros ciegos) / Forme hélicoïdale (Trous borgnes) / Spiral fluted (Blind holes) / Spiralform (Sacklöcher)

2288	HSSE-PM	DIN 371	HL		M DIN 13 Form. C Tol. 6HX 45° 3XD R MF	P M K N S	194
2289	HSSE-PM	DIN 376	HL		M DIN 13 Form. C Tol. 6HX 45° 3XD D MF	P M K N S	194

› Avellanado / Chanfreinaje / Counterboring / Senkbohren /

Pág.

Avellanadores /
Fraises à trou et à chanfreiner /
Countersink cutters /
Senker /

5162	HSSCO	DIN 335 C			90° 3z	P K N	339
5163	HSSCO	DIN 335 C	TiN		90° 3z	P K N	339

› Fresado / Fraisage / Milling / Fräsen /

Pág.

Fresas Metal duro /
Fraises carbure /
Hard metal mills /
Hartmetall-Fräser /

3142	HM-MD	DIN 335 C	AlCrN		2z 30° DIN 6535 HA	P M K S	386
3143	HM-MD	DIN 335 C	AlCrN		4z 30° DIN 6535 HA	P M K S	392

ATENCIÓN AL CLIENTE NACIONAL

Tel. +34 943 33 50 40

Fax +34 943 33 52 24

ventas@hepyc.com

EXPORT CUSTOMER SERVICE

Tel. +34 943 33 60 03

Fax +34 943 33 52 24

export@hepyc.com

S.A.T

Tel: +34 943 33 52 26

Fax: +34 943 33 52 24

sat@hepyc.com

SEDE SOCIAL / HEAD OFFICE

Pol. Ind. Ibarluce 57 - E Izq.

20120 Hernani (Spain)

Tel. +34 943 33 52 25

Fax +34 943 33 52 24

ventas@hepyc.com

HEPYC CATALUÑA

C/Xarol, 12 - B

08915 Badalona (Spain)

Tel. +34 933 87 32 99

Fax +34 933 83 33 08

vendes@hepyc.com

HEPYC MADRID

C/ Conde Vistahermosa, 46

28019 Madrid (Spain)

Tel. +34 915 69 81 05

Fax +34 915 65 97 91

madrid@hepyc.com